




# DONZI

*Donzi Marine / 2940 Northeast 188th Street  
North Miami Beach, Florida 33160*



Paul Herzan  
226 Pleasant Street  
Arlington, Mass. 02144



**DONZI**



Donzi's legendary name was born in blue water racing. Dubbed "Damn Donzi" by competitors, who memorized her transom, the sleek racing lines are preserved beneath the glossiest gel coat in the marine industry.

The Wide-World-Of-Boating is yours because Donzi's swept-back strakes that grip a hard chop in an ocean race, also give you a smooth ride with positive helm in a quiet bay. And speed isn't just for racing . . . it's for getting out to the fishing grounds before your neighbor or turning up the horsepower at the last gate on a slalom course.

Power your way to fun with a Donzi . . . there's horsepower to match your pleasure and a hull to fit your fun.





**BABY  
16  
O.B.**

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Fuel System:** 20 gallon hot dipped galvanized tank, fully grounded, electric gauge, chrome on brass filler and vent • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Running Lights:** to latest inland rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Fibre glass built-in ski rack, under floor storage well, under seat storage well, 2 stern saddle storage compartments • **Bucket Seat:** Fore and aft adjustable, foam filled, custom • **Hardware:** Lifting rings, drain plug, vents, towing eye, mooring cleats, stainless steel cockpit rail • **Trim:** Racing and boot stripes in red, green or blue.

**SPECIFICATIONS:** — Length Overall 16'7½" • Beam 7'0" • Draft to Keel 1'0" • Height, top of wheel to keel 3'6" • Gross Weight 1050 lbs. • Fuel Capacity 20 gals. • Seating Capacity 5.





## SKI SPORTER 16

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever shift and throttle combination • **Battery:** 12 volt, 65 ampere-hour marine • **Fuel System:** 25 gallon hot dipped galvanized tank, fully-grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Running Lights:** To latest inland rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Fibre glass built-in ski rack, under floor storage well, under seat storage well • **Bucket Seat:** Full swivel and fore and aft adjustment, foam filled, custom • **Tonneau Cover:** Naugahyde, zippered, with removable folding bow • **Hardware:** Lifting rings with custom brackets, drain plugs, vents, towing eye, stainless steel cockpit rail • **Trim:** Racing stripe and boot stripe • **Accessories:** Life jackets, dock lines, portable horn, paddle, Donzi Racing Team bag.

**SPECIFICATIONS** — Length Overall 16'7½" • Beam 7'0" • Draft to Keel 1'0", to bottom of outdrive 2'3" • Height, top of wheel to keel 3'6" • Gross Weight 2150 lbs. • Fuel Capacity 25 gals. • Seating Capacity 5.






18  
2  
+  
3

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever shift and throttle combination • **Battery:** 12 volt, 65 ampere-hour marine • **Fuel System:** 25 gallon hot dipped galvanized tank, fully grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Running Lights:** To latest inland rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Fibre glass built-in ski rack, under floor storage well, under seat storage well • **Bucket Seats:** Full swivel and fore and aft adjustment, foam filled, custom • **Tonneau Cover:** Naugahyde, zippered • **Hardware:** Lifting rings with custom brackets, drain plugs, vents, towing eye, 2 stainless steel cockpit rails • **Trim:** Racing stripe and boot stripe • **Accessories:** Life jackets, dock lines, portable horn, paddle, Donzi Racing Team bag.

**SPECIFICATIONS** — Length Overall 18'0" • Beam 7'0" • Draft to Keel 1'0", to bottom of outdrive 2'3" • Height, top of wheel to keel 3'8" • Gross Weight 2250 lbs. • Fuel Capacity 25 gals. • Seating Capacity 5.





## CORSICAN 18

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever shift and throttle combination • **Battery:** 12 volt, 65 ampere-hour marine • **Fuel System:** 25 gallon hot dipped galvanized tank, fully grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Running Lights:** To latest inland rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** 2 built-in ski racks, under floor storage well, under seat storage well • **Bucket Seats:** Fore and aft adjustable, foam filled, custom • **Tonneau Cover:** Nylon, zippered • **Hardware:** Lifting rings with custom brackets, drain plugs, vents, towing eye, 2 stainless steel cockpit rails, fender cleats • **Trim:** Boot stripe • **Accessories:** Windshield, life jackets, docklines, portable horn, paddle, Donzi Racing Team bag.

**SPECIFICATIONS** — Length Overall 18'0" • Beam 7'0" • Draft to Keel 1'0", to bottom of outdrive 2'3" • Height, top of windshield to keel 3'10" • Gross Weight 2300 lbs. • Fuel Capacity 25 gals. • Seating Capacity 4.





## HORNET 19

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, speedometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever throttle and shift combination • **Battery:** 12 volt, 65 ampere-hour marine • **Fuel System:** 45 gallon hot dipped galvanized tank, fully grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Horn:** 12 volt electric • **Running Lights:** To latest inland rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Built-in ski rack, under floor storage well, under seat storage well • **Bucket Seats:** Full swivel and fore and aft adjustment, foam filled, custom • **Tonneau Cover:** Naugahyde, zippered • **Hardware:** Lifting rings with custom brackets, drain plug, fender cleats, towing eye, vents • **Trim:** Racing and boot stripes • **Accessories:** Windshield, cabin light, life jackets, dock lines, paddle, Donzi Racing Team bag.

**SPECIFICATIONS** — Length Overall 19'2½" • Beam 7'10" • Draft to Keel 1'0", to bottom of outdrive 2'3" • Height, top of windshield to keel 4'11" • Gross Weight 2700 lbs. • Fuel Capacity 45 gals. • Seating Capacity 5.





## ST. TROPEZ 19

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever throttle and shift combination • **Battery:** 12 volt, 65 ampere-hour marine • **Fuel System:** 40 gallon hot dipped galvanized tank, fully grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Running Lights:** To latest international rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Under deck storage well, under seat storage chest, under floor storage well, under console storage well, 2 transom bait wells • **Hardware:** Lifting rings with custom brackets, drain plugs, towing eye, vents • **Trim:** Boot stripe • **Accessories:** Life jackets, dock lines, paddle, Donzi Racing Team bag.

**SPECIFICATIONS** — Length Overall 19'2½" • Beam 7'10" • Draft to Keel 1'0", to bottom of outdrive 2'3" • Height, top of wheel to keel 4'8" • Gross Weight 2700 lbs. • Fuel Capacity 40 gals.





21  
GT

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, speedometer, Hour meter, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever throttle and shift combination • **Battery:** 12 volt, 65 ampere-hour marine • **Fuel System:** 60 gallon hot dipped galvanized tank, fully grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt automatic and manual, submersible • **Horn:** 12 volt electric • **Running Lights:** To latest international rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Built-in ski rack, glove box, under floor storage well, 2 cockpit saddle storage wells • **Bucket Seats:** Fore and aft adjustable, foam filled, custom • **Tonneau Cover:** Naugahyde, zippered • **Carpet:** All weather • **Hardware:** Lifting rings with custom brackets, drain plug, fender cleats, towing eye, vents. • **Accessories:** Windshield, life jackets, dock lines, paddle, Donzi Racing Team bag.

**SPECIFICATIONS** — Length Overall 21'1½" • Beam 7'8½" • Draft to Keel 1'3", to bottom of outdrive 2'6" • Height, top of windshield to keel 5'1" • Gross Weight 2900 lbs. • Fuel Capacity 60 gals. • Seating Capacity 5.





## SEVEN METER 23

**STANDARD EQUIPMENT** — **Steering:** Teleflex mechanical • **Electric System:** 12 volt, color coded, fused • **Instruments:** Tachometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Morse single lever throttle and shift combination • **Battery:** 12 volt, 64 ampere-hour marine • **Fuel System:** 60 gallon hot dipped galvanized tank, fully grounded, shut-off, electric gauge, chrome on brass filler and vent • **Blower:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Horn:** 12 volt electric • **Running Lights:** To latest international rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Interior:** Two 8' bunks, forward hatch, rope locker, 3 under bunk storage wells, cabin light • **Cockpit:** Teak louvered door, adjustable pilot seat, stainless steel hand rails, vented windshield, engine box cushion, under floor storage well, 2 transom bait wells • **Trim:** Cabin and boot stripes • **Hardware:** Lifting rings with custom brackets, drain plugs, towing eye, vents • **Accessories:** Life jackets, dock lines, Donzi Racing Team bag.

**SPECIFICATIONS:** — Length Overall 22'11½" • Beam 8'0" • Draft to Keel 1'3", to bottom of outdrive 2'6" • Height, windshield to keel 7'5", windshield to waterline 6'0" • Headroom, in cabin 5'0", under convertible top 6'0" • Gross Weight 4500 lbs. • Fuel Capacity 60 gals.







# **DONZI MARINE**

2940 Northeast 188 Street  
North Miami Beach, Florida 33160  
Cable Address: Damdonzi





## DONZI MARINE

THE WORLD'S FINEST HI-PERFORMANCE POWER BOATS

2940 N.E. 188th St., N. Miami Beach, Florida 33160

Phone: 305-945-7518

**F.O.B. Miami — Prices and specifications subject to change without notice.**



DONZI PRICE LIST  
1971

	<u>Outboard</u> 16'	<u>Ski Sporter</u> 16'	<u>18 2+3</u> 18'	<u>Corsican</u> 18'	<u>Hornet</u> 19'	<u>St. Tropez</u> 19'	<u>G.T.</u> 21'	<u>Seven Meter</u> 23'
<u>POWER OPTIONS</u>								
	2495	.....	.....	.....	.....	.....	.....	.....
235 HP Crusader	.....	6900	7500	8000	8700	8700	9700	.....
235 HP Holman & Moody	.....	6900	7500	8000	8700	8700	9700	.....
260 HP Crusader	.....	7500	8100	8600	9300	9300	10300	11685
260 HP Holman & Moody	.....	7500	8100	8600	9300	9300	10300	11685
235 HP (twin)	.....	.....	.....	.....	.....	.....	.....	13700
260 HP (twin)	.....	.....	.....	.....	.....	.....	.....	14900
<u>ACCESSORIES</u>								
Bow Rail	.....	.....	.....	.....	.....	180	.....	210
Carpet (all weather)	40	40	50	50	60	.....	Std.	125
Cleats (8" pair)	Std.	30	30	30	30	30	30	30
Companion Seat	.....	.....	.....	.....	.....	.....	.....	175
Compass (5")	.....	.....	.....	.....	285	285	285	285
Console Cover	.....	.....	.....	.....	.....	.....	.....	50
Cushions (bunk)	.....	.....	.....	.....	.....	.....	.....	160
Engine Hour Meter	.....	60	60	60	60	60	60	60
Electric Horn	.....	60	60	60	Std.	60	Std.	60
Head (manual)	.....	.....	.....	.....	.....	.....	.....	190
Navy Top Set	.....	.....	.....	.....	.....	.....	.....	300
Outriggers	.....	.....	.....	.....	.....	125	.....	125
Rod Holders (pair)	.....	.....	.....	.....	.....	40	.....	40
Shipping Cover	100	100	100	100	180	180	180	200
Shipping Cradle	120	120	120	120	140	140	160	180
Speedometer	40	40	40	40	40	40	40	40
Teak Trim (cockpit)	.....	.....	.....	.....	.....	.....	.....	225
Tonneau Cover	80	Std.	Std.	Std.	Std.	.....	Std.	.....
Trailer	600	600	600	600	800	800	1200	1600
Trim Tabs	320	320	320	320	320	320	320	320
Two Tone Bottom	.....	100	100	100	100	100	100	125

Prices are effective October 1, 1970 and are subject to change without notice



*Donzi Marine - 2940, Northeast 188<sup>th</sup> Street - North Miami Beach, Florida 33160  
Telephone 305-7518 - Cable: Lamdonzi*



Dear Sir:

We appreciate your interest in DONZI and are happy to enclose a catalog and price list.

DONZI boats are world-renowned for their performance, construction and beauty. DONZI dealers throughout the world have facilities for demonstrating the superior qualities of our boats, and are completely capable of answering any questions you might have.

At the bottom of this page you will find the name of the nearest DONZI dealer in your area. Stop by and see the fabulous DONZI at your convenience.

Thank you

DONZI MARINE, INC.

Sport Boats  
45 Old Farm Road  
Wellsley Hills, Mass.