

### 1995 PRODUCT INFORMATION GUIDE

1995

1	21	H 1 8 15 Z2	9 16	24	4 11 18	19	20	7 14 21	22	9 16 23	W P 3 10 17 24	111	5 12 19 26	6 13 20 27	14	22	9 16 23	24	4 11 18 25	5 12 19 26	27	20	21	1 8 15 22	23	3 10 17 24	f 4 11 18 25	5 12 19 26	
99	4 11 18	5 12 19	6 13 20	FEI 7	1 8 15 22	23	24		6 13 20	A 7 14 21	AA 1 8 15 22	2 9 16 23	24	4 11 18 25	4 11 18	5 12 19	6 13 20	7 14 21	G 1 8 15 22	2 9 16 23 30	3 10 17 24	17	4 11 18	5 12 19	6 13 20		1 8 15 22 29	2 9 16 23 30	
6	17	4 11 18 25	5 12 19	1A 6 13 20 27	7 14 21	1 8 15 22 29	2 9 16 23 30	2 9 16 23 30	3 10 17 24	4 11 18	19	6 13 20	7 14 21 28	1 8 15 22 29	22	2 9 16 23 30	S 3 10 17 24	EP 4 11 18 25	19	20	7 14 21 28	22		3 10 17 24 31		5 12 19 26	20		

FEB 1 2 3 4 5 6 7 8 9 10 11 12 13 4 5 6 7 8 9 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7 8 9 10 10 11 12 13 6 7

Equal Monthly Payments to Amortize a Loan of \$1000

19.34	Equa	ii Montni		IS to Aim	JI LIZE & LU	an 01 0 10	
8	Rate   Term		10yrs	12yrs	15yrs	20yrs	30yrs
8-1/4							
8-1/4							
8-1/2							
8-3/4 20.64 12.54 11.24 10.00 8.84 7.87 9 20.76 12.67 11.39 10.15 8.00 8.05 9.1/4 20.88 12.81 11.53 10.30 9.16 8.23 9.1/2 21.01 12.94 11.67 10.45 9.33 8.41 19.37 10.00 9.49 8.60 10.00 21.25 13.22 11.96 10.75 9.66 8.78 10.1/4 21.38 13.36 12.10 10.90 9.49 8.60 10.1/4 21.38 13.36 12.10 10.90 9.82 8.97 10.1/2 21.50 13.50 12.25 11.06 9.99 9.16 10.3/4 21.62 13.64 12.39 11.21 10.16 9.34 11 21.75 13.78 12.54 11.37 10.33 9.53 11.1/4 21.87 13.92 12.69 11.53 10.50 9.72 11.1/4 21.87 13.92 12.69 11.53 10.50 9.72 11.1/4 22.87 13.92 12.69 11.53 10.50 9.72 11.3/4 22.12 14.21 12.99 11.85 10.84 10.10 12 12 12 12 12 12 12 12 12 12 12 12 12							
9 9 20.76 12.67 11.39 10.15 8.00 8.05 9.1/4 20.88 12.81 11.53 10.30 9.16 8.23 9.1/2 21.01 12.94 11.67 10.45 9.33 8.41 9.3/4 21.13 13.08 11.81 10.60 9.49 8.60 10 21.25 13.22 11.96 10.75 9.66 8.78 10.1/4 21.38 13.36 12.10 10.90 9.82 8.97 10.1/4 21.82 13.64 12.39 11.21 10.16 9.49 9.16 10.37 10.34 21.62 13.64 12.39 11.21 10.16 9.49 11.1/4 21.87 13.92 12.69 11.63 10.60 9.99 9.15 11.1/4 21.87 13.92 12.69 11.53 10.60 9.72 11.1/2 22.00 14.05 12.84 11.37 10.33 9.53 11.1/4 21.87 13.92 12.69 11.53 10.60 9.72 11.3/4 22.12 14.21 12.99 11.85 10.84 10.10 21.2/4 12.2.2 14.21 12.99 11.85 10.84 10.10 21.2/4 22.25 14.35 13.14 12.01 11.02 10.29 12.1/4 22.38 14.50 13.29 12.17 11.19 10.48 12.1/4 22.33 14.05 13.24 12.33 11.37 10.83 12.3/4 22.63 14.79 13.60 12.49 11.54 10.87 13.3/4 22.89 15.08 13.91 12.82 11.50 11.26 11.27 10.87 13.3/4 22.89 15.08 13.91 12.82 11.50 11.26 11.27 13.3/4 23.31 13.3/4 23.34 13.3/4 23.34 13.3/4 23.34 13.3/4 23.34 13.3/4 23.34 13.3/4 23.34 13.3/4 12.20 11.00 12.29 12.3/4 22.89 15.08 13.91 12.82 11.50 11.26 11.27 11.07 13.3/4 23.80 15.88 13.91 12.82 11.50 11.26 11.4/4 23.240 15.88 13.91 12.82 11.50 11.26 11.4/4 23.240 15.88 14.53 13.49 12.62 12.64 11.65 11.4/4 23.39 16.29 15.88 13.32 12.44 11.85 14.3/4 23.86 15.99 14.85 13.83 12.29 12.08 11.46 15.3/4 23.87 16.89 15.88 14.53 13.49 12.62 12.55 14.3/4 23.86 15.99 14.85 13.83 13.22 12.44 11.85 15.3/4 14.3/4 23.80 15.89 15.88 14.53 13.49 12.62 12.55 14.3/4 23.86 15.99 15.18 14.17 13.36 12.26 11.66 15.3/4 14.3/4 23.80 15.89 15.88 14.53 13.89 12.82 12.45 15.5/4 14.3/4 23.80 15.89 15.88 14.53 13.89 13.80 12.89 12.85 15.80 13.91 13.64 13.09 13.64 13.90 13.66 12.99 12.08 11.46 13.3/4 23.86 15.99 14.85 13.83 13.29 13.65 13.84 13.30 13.65 13.30 13.65 13.30 13.65 13.30 13.65 13.30 13.65 13.30 13.65 13.30 13.65 13.30 13.29 13.45 13.30 13.65 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13.50 13.30 13							
9-1/4							
\$-1/2							8.23
9-3/4 21.13 13.08 11.81 10.60 9.49 9.49 8.60 10 10.1/4 21.25 13.22 11.96 10.75 9.66 8.78 10-1/2 21.50 13.50 12.25 11.06 9.99 9.15 10.3/4 21.62 13.64 12.39 11.21 10.16 9.34 11 21.75 13.78 12.54 11.37 10.33 9.53 11.1/2 22.00 14.05 12.84 11.69 10.67 9.91 11.3/4 22.12 14.21 12.99 11.85 10.84 10.10 12 22.25 14.35 13.14 12.01 11.02 10.20 12 12.1/4 22.38 14.50 13.29 12.17 11.19 10.48 12.3/4 22.63 14.79 13.60 12.49 11.54 13 13.27 16.88 13.31 12.82 11.90 11.26 13.3/4 22.89 15.08 13.91 12.82 11.90 11.26 13.3/4 22.89 15.08 13.91 12.82 11.90 11.26 13.3/4 22.30 13.14 15.38 14.22 13.15 12.26 14.31 13.3/4 23.14 15.38 14.22 13.15 12.26 14.41 13.34 12.31 13.37 12.86 11.72 13.3/4 23.14 15.38 14.22 13.15 12.26 11.60 1						9.33	8.41
10				11.81	10.60	9.49	8.60
10-1/4			13.22	11.96	10.75	9.66	
10-1/2			13.36	12.10	10.90		
11		21.50	13.50	12.25			
11-1/4	10-3/4	21.62	13.64				
11-1/2	11	21.75					
11-3/4	11-1/4						
12	11-1/2						
12-1/4							
12-1/2							
12-3/4							
13							
13-1/4							
13-1/2   23.01   15.23   14.06   12.99   12.08   11.46     13-3/4   23.14   15.38   14.22   13.15   12.26   11.66     14   23.27   15.53   14.38   13.32   12.44   11.85     14-1/4   23.40   15.88   14.53   13.49   12.62   12.05     14-1/2   23.53   15.83   14.69   13.66   12.80   12.25     14-3/4   23.66   15.99   14.85   13.83   12.99   12.45     15   23.79   16.14   15.01   14.00   13.17   12.65     15-1/4   23.93   16.29   15.18   14.17   13.36   12.85     15-1/2   24.06   16.45   15.34   14.34   13.54   13.54     15-3/4   24.19   16.60   15.50   14.52   13.73   13.25     16   24.32   16.76   15.66   14.69   13.92   13.45     16-1/4   24.46   16.91   15.83   14.87   14.11   13.65     16-1/2   24.59   17.07   15.99   15.04   14.29   13.86     16-1/3   24.72   17.23   16.16   15.22   14.48   14.06     17-1/4   24.99   17.54   16.49   15.57   14.86   14.67     17-1/4   24.99   17.54   16.49   15.57   14.86   14.46     17-1/2   25.13   17.70   16.66   15.75   15.05   14.67     17-3/4   25.26   17.86   16.83   15.93   15.25   14.87     18-1/4   25.53   18.18   17.17   16.29   15.63   15.28     18-1/2   25.67   18.35   17.34   16.47   15.82   15.48     18-1/2   25.67   18.35   17.34   16.47   15.82   15.48     18-1/4   25.81   18.51   17.51   16.65   16.02   16.89     19-1/4   26.08   18.84   17.85   17.02   16.41   16.10     19-1/2   26.22   19.00   18.02   17.20   16.60   16.30     19-1/4   26.84   19.50   18.55   17.75   17.19   16.92     20-1/4   26.84   19.50   18.55   17.75   17.19   16.92     20-1/4   26.84   19.50   18.55   17.75   17.19   16.92     20-1/4   26.84   19.50   18.55   17.75   17.19   16.92     21-1/4   27.20   20.17   19.25   18.50   17.88   17.54     21-1/2   27.34   20.34   19.43   18.87   18.38   18.16     21-1/2   27.34   20.34   19.43   18.87   18.38   18.16     21-1/2   27.34   20.34   19.43   18.87   18.38   18.16     22-1/4   27.77   20.85   19.96   19.25   18.77   18.97     22-1/4   27.77   20.85   19.96   19.25   18.77   18.97     22-1/4   27.77   20.85   19.96   19.25   18.77   1							
13-3/4							
14							11.66
14-1/4         23.40         15.68         14.53         13.49         12.62         12.05           14-1/2         23.53         15.83         14.69         13.66         12.80         12.25           14-3/4         23.66         15.99         14.85         13.83         12.99         12.45           15         23.79         16.14         15.01         14.00         13.17         12.65           15-1/4         23.93         16.29         15.18         14.17         13.36         12.85           15-1/2         24.06         16.45         15.34         14.34         13.54         13.05           15-3/4         24.19         16.60         15.50         14.52         13.73         13.25           16         24.32         16.76         15.64         14.69         13.92         13.45           16-1/2         24.45         15.91         15.83         14.87         14.11         13.65           16-1/2         24.45         17.07         15.99         15.04         14.29         13.86           16-1/2         24.86         17.38         16.32         15.40         14.67         14.26           17-1/2         25.13					13.32	12.44	11.85
14-1/2 23.53 15.83 14.89 13.66 12.80 12.25 14-3/4 23.66 15.99 14.85 13.83 12.99 12.45 15 23.79 16.14 15.01 14.00 13.17 12.65 15-1/4 23.93 16.29 15.18 14.17 13.36 12.85 15-1/2 24.06 16.45 15.34 14.34 13.54 13.05 15-3/4 24.19 16.60 15.50 14.52 13.73 13.25 16 24.32 16.76 15.66 14.69 13.92 13.45 16-1/4 24.46 16.91 15.83 14.87 14.11 13.66 16-1/2 24.59 17.07 15.99 15.04 14.29 13.86 16-1/2 24.59 17.07 15.99 15.04 14.29 13.86 17-1/2 24.86 17.38 16.32 15.40 14.67 14.26 17-1/4 24.99 17.54 16.49 15.57 14.86 14.67 17-1/4 24.99 17.54 16.49 15.57 14.86 14.46 17-1/2 25.13 17.70 16.66 15.75 15.05 14.67 17-3/4 25.26 17.86 16.83 15.93 15.25 14.87 18 25.40 18.02 17.00 16.11 15.44 15.08 18-1/4 25.53 18.18 17.17 16.29 15.63 15.28 18-1/2 25.67 18.35 17.34 16.47 15.82 15.48 18-1/2 25.67 18.35 17.34 16.47 15.82 15.48 19-1/2 25.67 18.35 17.34 16.47 15.82 15.48 19-1/4 26.08 18.84 17.85 17.02 16.41 16.10 19-1/2 26.22 19.00 18.02 17.20 16.60 16.30 19-1/4 26.08 18.84 17.85 17.02 16.41 16.10 19-1/2 26.22 19.00 18.02 17.38 16.80 16.21 19-3/4 26.58 19.17 18.20 17.38 16.80 16.57 20-1/4 26.84 19.50 18.55 17.75 17.94 17.39 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.59 20-1/4 26.84 19.50 18.55 17.75 17.94 17.39 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.54 22-1/4 27.48 20.50 19.81 18.87 18.87 18.38 18.16 22-1/4 27.48 20.50 19.81 18.87 18.87 18.38 18.16 22-1/4 27.74 20.35 19.96 19.25 18.57 18.38 18.16 22-1/4 27.77 20.85 19.96 19.25 18.75 18.87 18.38 18.16 22-1/4 27.77 20.85 19.96 19.25 18.70 18.87 1					13.49	12.62	
14-3/4		Control of the Contro	15.83	14.69	13.66	12.80	
15			15.99	14.85			
15-1/2		23.79	16.14				
15-3/4 24.19 16.60 15.50 14.52 13.73 13.25 16 24.32 16.76 15.66 14.69 13.92 13.45 16-1/4 24.46 16.91 15.83 14.87 14.11 13.65 16-1/2 24.59 17.07 15.99 15.04 14.29 13.86 16-3/4 24.72 17.23 16.16 15.22 14.48 14.06 17 24.86 17.38 16.32 15.40 14.67 14.26 17 17 24.86 17.38 16.32 15.40 14.67 14.26 17-1/2 25.13 17.70 16.66 15.75 15.05 14.67 17-1/2 25.13 17.70 16.66 15.75 15.05 14.67 17-3/4 25.26 17.86 16.83 15.93 15.25 14.87 18 25.40 18.02 17.00 16.11 15.44 15.08 18-1/4 25.53 18.18 17.17 16.29 15.63 15.28 18-1/2 25.67 18.35 17.34 16.47 15.82 15.48 18-1/2 25.67 18.35 17.34 16.47 15.82 15.48 19 25.96 18.67 17.88 16.83 16.21 15.89 19-1/4 26.08 18.84 17.85 16.63 16.23 16.89 19-1/4 26.08 18.84 17.85 17.02 16.41 16.10 19-1/2 26.22 19.00 18.02 17.20 16.60 16.30 19-3/4 26.36 19.17 18.20 17.38 16.80 16.51 20 26.50 19.33 18.37 17.57 16.99 16.72 20-1/4 26.44 19.50 18.55 17.75 17.99 16.92 20-1/4 26.94 19.50 18.55 17.75 17.99 16.92 20-1/2 26.78 19.86 18.72 17.94 17.38 17.33 21 27.06 20.00 19.07 18.31 17.78 17.58 21-1/4 27.20 20.17 19.25 18.50 17.98 17.33 21 27.48 20.50 19.81 18.87 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.18 21-3/4 27.48 20.50 19.61 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.38 21-3/4 27.94 20.34 19.43 18.89 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.38 21-3/4 27.95 20.67 19.78 19.06 18.58 18.38 22-3/4 28.20 21.36 20.50 19.82 19.38 19.17 18.99 22-3/4 28.77 22.05 21.29 20.59 20.88 24 28.77 22.06 21.39 20.32 19.63 19.17 18.99 24 28.77 22.06 22.07 21.29 20.59 20.88	15-1/4	23.93	16.29				
16	15-1/2	24.06					
16-1/4	15-3/4						
16-1/2							
16-3/4   24.72   17.23   16.16   15.22   14.48   14.06   17.34   17.34   16.32   15.40   14.67   14.26   17.1/2   25.13   17.70   16.66   15.75   14.86   14.67   17.3/4   25.26   17.86   16.83   15.93   15.25   14.87   18   25.40   18.02   17.00   16.11   15.44   15.08   18-1/2   25.53   18.18   17.17   16.29   15.63   15.28   18-1/2   25.67   18.35   17.34   16.47   15.82   15.48   18-1/2   25.67   18.35   17.34   16.47   15.82   15.48   18-1/2   25.67   18.35   17.34   16.47   15.82   15.48   19.3/4   25.81   18.51   17.51   16.65   16.02   15.89   19-1/4   26.08   18.84   17.85   17.02   16.41   16.10   19-1/2   26.22   19.00   18.02   17.20   16.60   16.30   19.3/4   26.36   19.17   18.20   17.38   16.80   16.51   20   26.50   19.33   18.37   17.57   16.99   16.72   20-1/4   26.84   19.50   18.55   17.75   17.19   16.92   20-1/2   26.78   19.66   18.72   17.84   17.39   17.13   20-3/4   26.92   19.83   18.90   18.12   17.58   17.38   17.57   17.19   16.92   21-1/4   27.20   20.17   19.25   18.50   17.38   17.57   17.59   17.34   17.54   17.34   17.54   17.55   17.34   17.55   17.35   17.							
177 24.86 17.38 16.32 15.40 14.67 14.26 17-1/4 24.99 17.54 16.49 15.57 14.86 14.46 17-1/2 25.13 17.70 16.66 15.75 15.05 14.67 17-3/4 25.26 17.86 16.83 15.93 15.25 14.87 18 25.40 18.02 17.00 16.11 15.44 15.08 18-1/4 25.53 18.18 17.17 16.29 15.63 15.28 18-1/2 25.67 18.35 17.34 16.47 15.82 15.48 18-1/4 25.81 18.51 17.51 16.65 16.02 15.69 19 25.56 18.67 17.88 16.83 16.21 15.89 19-1/4 26.08 18.84 17.85 17.02 16.41 16.10 18-1/2 26.22 19.00 18.02 17.20 16.60 16.30 19-3/4 26.36 19.17 18.20 17.38 16.80 16.51 20 26.50 19.33 18.37 17.57 16.99 16.72 20-1/4 26.84 19.50 18.55 17.75 17.19 16.92 20-1/4 26.84 19.50 18.55 17.75 17.19 16.92 20-1/2 26.78 19.66 18.72 17.94 17.39 17.34 20-3/4 26.92 19.83 18.90 18.12 17.58 17.32 21 27.06 20.00 19.07 18.31 17.78 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.54 21-1/4 27.48 20.50 19.61 18.87 18.89 18.18 22 27.62 20.67 19.78 19.96 18.25 18.37 18.38 21-3/4 27.48 20.50 19.61 18.87 18.38 18.16 22-1/4 27.77 20.85 19.96 19.25 18.77 18.99 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 22-3/4 28.07 22.06 21.36 20.50 19.82 19.38 19.17 23 28.20 21.36 20.50 19.82 19.83 19.17 18.99 22-3/4 28.97 22.06 21.39 20.32 19.63 19.17 18.99 22-3/4 28.97 22.06 21.39 20.39 20.85 24 28.77 22.06 21.23 20.59 20.18 20.09							
17-1/4							
17-1/2							
17-3/4 25.26 17.86 16.83 15.93 15.25 14.87  18 25.40 18.02 17.00 16.11 15.44 15.08  18-1/4 25.53 18.18 17.17 16.29 15.63 15.28  18-1/2 25.67 18.35 17.34 16.47 15.82 15.48  18-3/4 25.81 18.51 17.51 16.65 16.02 15.69  19 25.95 18.67 17.68 16.83 16.21 15.89  19-1/4 26.08 18.84 17.85 17.02 16.41 16.10  19-1/2 26.22 19.00 18.02 17.20 16.60 16.30  19-3/4 26.36 19.17 18.20 17.38 16.80 16.51  20 26.50 19.33 18.37 17.57 16.99 16.72  20-1/4 26.84 19.50 18.55 17.75 17.19 16.92  20-1/2 26.78 19.66 18.72 17.94 17.39 17.34  20-3/4 26.92 19.83 18.90 18.12 17.58 17.33  21 27.06 20.00 19.07 18.31 17.78 17.54  21-1/4 27.20 20.17 19.25 18.50 17.98 17.54  21-1/4 27.48 20.50 19.61 18.69 18.18  22 27.62 20.67 19.76 19.66 18.25  22-1/4 27.77 20.85 19.96 19.25 18.59 18.18  22 27.62 20.67 19.76 19.63 18.87  22-1/2 27.77 20.85 19.96 19.25 18.77 18.87  22-3/4 28.05 21.19 20.32 19.63 19.17 18.93  23 28.20 21.36 20.50 19.82 19.83 19.17  24 28.77 22.06 20.01 19.07 18.81 19.17 18.87  22-3/4 28.05 21.19 20.32 19.63 19.17 18.87  22-3/4 28.05 21.19 20.32 19.63 19.17 18.98  24 28.77 22.06 21.23 20.59 20.18  20.09 20.85  20.09 20.85  20.09 20.85							
18							14.87
18-1/4						15.44	15.08
18-1/2						15.63	15.28
18-3/4					16.47	15.82	15.48
19   25.95   18.67   17.68   16.83   16.21   15.89   19-1/4   26.08   18.84   17.85   17.02   16.41   16.10   19-1/2   26.22   19.00   18.02   17.20   16.60   16.30   19-3/4   26.36   19.17   18.20   17.38   16.80   16.51   20   26.50   19.33   18.37   17.57   16.99   16.72   20-1/4   26.84   19.50   18.55   17.75   17.19   16.72   20-1/2   26.78   19.66   18.72   17.94   17.39   17.13   20-3/4   26.92   19.83   18.90   18.12   17.58   17.33   21   27.06   20.00   19.07   18.31   17.78   17.54   21-1/4   27.20   20.17   19.25   18.50   17.98   17.75   21-1/2   27.34   20.34   19.43   18.69   18.18   17.95   21-3/4   27.48   20.50   19.61   18.87   18.38   18.16   22   27.62   20.67   19.78   19.06   18.58   18.36   22-1/4   27.77   20.85   19.96   19.25   18.77   18.57   22-3/4   28.05   21.19   20.32   19.63   19.17   18.98   23   28.20   21.36   20.50   19.82   19.38   19.18   24   28.77   22.05   21.23   20.59   20.88   25.09   20.85   20.99   20.85   25.09   20.85   20.99   20.85   25.00   20.99   20.85   26.00   20.99   20.85   26.00   20.99   20.85   26.00   20.99   20.85   26.00   20.99   20.85   27.60   27.76   27.26   21.27   21.36   20.99   20.85   28.00   22.76   21.27   21.36   20.99   20.85   28.00   22.76   21.27   21.36   20.99   20.85   28.00   22.76   21.27   21.36   20.99   20.85   29.36   22.76   21.97   21.36   20.99   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85   20.00   20.85   20.10   20.90   20.85					16.65	16.02	
19-1/4 26.08 18.84 17.85 17.02 16.41 16.10 19-1/2 26.22 19.00 18.02 17.20 16.60 16.30 19-3/4 26.36 19.17 18.20 17.38 16.80 16.51 20 26.50 19.33 18.37 17.57 16.99 16.72 20-1/4 26.64 19.50 18.55 17.75 17.19 16.92 20-1/2 26.78 19.86 18.72 17.94 17.39 17.13 20-3/4 26.92 19.83 18.90 18.12 17.58 17.33 21 27.06 20.00 19.07 18.31 17.78 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.75 21-1/2 27.34 20.34 19.43 18.69 18.18 17.95 21-3/4 27.48 20.50 19.61 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.36 22 27.62 20.67 19.78 19.06 18.58 18.36 22-1/4 27.77 20.85 19.96 19.25 18.77 18.57 22-1/2 27.91 21.02 20.14 19.44 18.97 18.78 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.05 21.23 20.59 20.18 20.02 25 29.36 22.75 21.97 21.36 20.99 20.85			18.67	17.68	16.83	16.21	
19-3/4 26.36 19.17 18.20 17.38 16.80 16.51 20 26.50 19.33 18.37 17.57 16.99 16.72 20-1/4 26.64 19.50 18.55 17.75 17.19 16.72 20-1/2 26.78 19.86 18.72 17.94 17.39 17.13 20-3/4 26.92 19.83 18.90 18.12 17.58 17.33 21 27.06 20.00 19.07 18.31 17.78 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.75 21-1/2 27.34 20.34 19.43 18.69 18.18 17.75 21-3/4 27.48 20.50 19.61 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.36 22 17.62 20.67 19.78 19.06 18.58 18.56 22-1/4 27.77 20.85 19.96 19.25 18.77 18.57 22-1/2 27.91 21.02 20.14 19.44 18.97 18.78 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.05 21.23 20.59 20.18 20.02 25 29.36 22.75 21.97 21.36 20.99 20.85		26.08					
20 26.50 19.33 18.37 17.67 16.99 16.72 20-1/4 26.84 19.50 18.55 17.75 17.19 16.92 20-1/2 26.78 19.86 18.72 17.94 17.39 17.13 20-3/4 26.92 19.83 18.90 18.12 17.88 17.33 21 27.06 20.00 19.07 18.31 17.78 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.75 21-1/2 27.34 20.34 19.43 18.69 18.18 17.95 21-3/4 27.48 20.50 19.81 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.36 22 27.62 20.67 19.78 19.06 18.58 18.36 22-1/4 27.77 20.85 19.96 19.25 18.77 18.57 22-1/2 27.91 21.02 20.14 19.44 18.97 18.78 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.05 21.23 20.59 20.18 20.02 25 29.36 22.75 21.97 21.36 20.99 20.85		26.22					
20-1/4         26.84         19.50         18.55         17.75         17.19         16.92           20-1/2         26.78         19.66         18.72         17.94         17.39         17.13           20-3/4         26.92         19.83         18.90         18.12         17.58         17.32           21         27.06         20.00         19.07         18.31         17.78         17.54           21-1/4         27.20         20.17         19.25         18.50         17.98         17.75           21-1/2         27.34         20.34         19.43         18.59         18.18         17.95           21-3/4         27.48         20.50         19.61         18.87         18.38         18.16           22         27.62         20.67         19.78         19.06         18.58         18.36           22-1/4         27.77         20.85         19.96         19.25         18.77         18.57           22-1/4         27.79         20.85         19.96         19.25         18.77         18.78           22-3/4         28.05         21.19         20.32         19.63         19.17         18.99           23         28.20         <	19-3/4	26.36					
20-1/2         26.78         19.86         18.72         17.84         17.39         17.13           20-3/4         26.92         19.83         18.90         18.12         17.58         17.33           21         27.06         20.00         19.07         18.31         17.78         17.54           21-1/4         27.20         20.17         19.25         18.50         17.98         17.75           21-1/2         27.34         20.34         19.43         18.89         18.18         17.95           21-3/4         27.48         20.50         19.61         18.87         18.38         18.16           22         27.62         20.67         19.78         19.06         18.58         18.36           22-1/4         27.77         20.85         19.96         19.25         18.77         18.57           22-1/2         27.91         21.02         20.14         19.44         18.97         18.78           22-3/4         28.05         21.19         20.32         19.63         19.17         18.99           23         28.20         21.36         20.50         19.82         19.38         19.19           24         28.77         2							
20-3/4         26.92         19.83         18.90         18.12         17.58         17.33           21         27.06         20.00         19.07         18.31         17.78         17.58           21-1/4         27.20         20.17         19.25         18.50         17.98         17.75           21-1/2         27.34         20.34         19.43         18.69         18.18         17.95           21-3/4         27.48         20.50         19.61         18.87         18.38         18.16           22         27.62         20.67         19.78         19.06         18.55         18.56           22-1/4         27.77         20.85         19.96         19.25         18.77         18.57           22-1/2         27.91         21.02         20.14         19.44         18.97         18.78           22-3/4         28.05         21.19         20.32         19.63         19.17         18.99           23         28.20         21.36         20.50         19.82         19.38         19.18           24         28.77         22.05         21.23         20.59         20.18         20.02           25         29.36         22.76	20-1/4						
21 27.06 20.00 19.07 18.31 17.78 17.54 21-1/4 27.20 20.17 19.25 18.50 17.98 17.75 21-1/2 27.34 20.34 19.43 18.69 18.18 17.95 21-3/4 27.48 20.50 19.61 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.55 18.36 22-1/4 27.77 20.85 19.96 19.25 18.77 18.57 22-1/2 27.91 21.02 20.14 19.44 18.97 18.78 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.06 21.23 20.59 20.18 20.02 25 29.36 22.76 21.97 21.36 20.99 20.85							
21-1/4         27.20         20.17         19.25         18.50         17.98         17.75           21-1/2         27.34         20.34         19.43         18.69         18.18         17.95           21-3/4         27.48         20.50         19.61         18.87         18.38         18.16           22         27.62         20.67         19.78         19.06         18.58         18.36           22-1/4         27.77         20.85         19.96         19.25         18.77         18.57           22-1/2         27.91         21.02         20.14         19.44         18.97         18.78           22-3/4         28.05         21.19         20.32         19.63         19.17         18.98           23         28.20         21.36         20.50         19.82         19.38         19.19           24         28.77         22.05         21.23         20.59         20.18         20.02           25         29.36         22.75         21.97         21.36         20.99         20.85							
21-1/2 27.34 20.34 19.43 18.69 18.18 17.95 21-3/4 27.48 20.50 19.61 18.87 18.38 18.16 22 27.62 20.67 19.78 19.06 18.58 18.36 22-1/4 27.77 20.85 19.96 19.25 18.77 18.57 22-1/2 27.91 21.02 20.14 19.44 18.97 18.78 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.05 21.23 20.59 20.18 20.02 25 29.36 22.75 21.97 21.36 20.99 20.85							
21-3/4     27.48     20.50     19.61     18.87     18.38     18.16       22     27.62     20.67     19.78     19.06     18.58     18.36       22-1/4     27.77     20.85     19.96     19.25     18.77     18.57       22-1/2     27.91     21.02     20.14     19.44     18.97     18.78       22-3/4     28.05     21.19     20.32     19.63     19.17     18.99       23     28.20     21.36     20.50     19.82     19.38     19.18       24     28.77     22.05     21.23     20.59     20.18     20.02       25     29.36     22.76     21.97     21.36     20.99     20.85							
22     27.62     20.67     19.78     19.06     18.58     18.36       22-1/4     27.77     20.85     19.96     19.25     18.77     18.57       22-1/2     27.91     21.02     20.14     19.44     18.97     18.78       22-3/4     28.05     21.19     20.32     19.63     19.17     18.99       23     28.20     21.36     20.50     19.82     19.38     19.18       24     28.77     22.05     21.23     20.59     20.18     20.02       25     29.36     22.75     21.97     21.36     20.99     20.85							
22-1/4     27.77     20.85     19.96     19.25     18.77     18.57       22-1/2     27.91     21.02     20.14     19.44     18.97     18.78       22-3/4     28.05     21.19     20.32     19.63     19.17     18.98       23     28.20     21.36     20.50     19.82     19.38     19.19       24     28.77     22.05     21.23     20.59     20.18     20.02       25     29.36     22.75     21.97     21.36     20.99     20.85							18.36
22-1/2 27.91 21.02 20.14 19.44 18.97 18.78 22-3/4 28.05 21.19 20.32 19.63 19.17 18.99 23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.05 21.23 20.59 20.18 20.02 25 29.36 22.75 21.97 21.36 20.99 20.85							18.57
22-3/4     28.05     21.19     20.32     19.63     19.17     18.99       23     28.20     21.36     20.50     19.82     19.38     19.19       24     28.77     22.05     21.23     20.59     20.18     20.02       25     29.36     22.75     21.97     21.36     20.99     20.85							18.78
23 28.20 21.36 20.50 19.82 19.38 19.19 24 28.77 22.05 21.23 20.59 20.18 20.02 25 29.36 22.75 21.97 21.36 20.99 20.85							18.99
24     28.77     22.05     21.23     20.59     20.18     20.02       25     29.36     22.75     21.97     21.36     20.99     20.85							19.19
25 29.36 22.75 21.97 21.36 20.99 20.85						20.18	20.02
					21.36		20.85
				22.71	22.14	21.80	21.6



152 182 212 210 275

The Medallion Series is the most innovative line of boats on the market. All boats are a high-tech fiberglass construction with all hand laid biaxle stitched woven fiberglass and a high density divinycell foam core with absolutely no wood in the construction of the boat.

Each boat is loaded with standard features in order to please the first time buyer or the seasoned boater. Donzi has even found a solution to the relentless detereation to your boats interior by offering a 5 Year Gift Certificate good towards the purchase of a brand new interior package in your choice of color, a value worth \$1,500.

With Donzi commitment to quality, durability and innovation, its easy to understand why Donzi is *America's Favorite Boat*.



### STANDARD FEATURES

500 G.P.H. Automatic Bilge Pump • Cockpit Lights • High Tech Fiberglass Construction • Electric Fuel Gauge • Level Flotation Foam • Fuel/Water Separator • Navigation Lights • Pop-up Cleats • Removable Seat Cushions • Side Mirror • Ski Tow Eye • Slip Resistant Seating • Speedo Gauge • Dry/Insulated Stern Storage • Oil Injection • 5 year Hull Warranty

### **AVAILABLE OPTIONS**

Bimini Top • Hull Color • Shrink Wrap • Lift Kit • AM/FM Stereo Cassette

### KEY SELLING FEATURES

No Wood Construction • Integrated Twin Console • Self Bailing Cockpit • Glassed in Subfloor • 4 Adult Passenger Seating • 5 Year Hull Warranty



L.O.A. 15'6"

BEAM 6'1"

DRAFT 9"

FUEL CAP 20 GAL

HULL WT 1100 lbs W/90 JET

FREEBOARD 13.5"

MAX H P 120 JET

### **ENGINE OPTIONS**

ENGINE	MAKE	HORSEPOWER
90 MERCJET	MERCRUISER	90
120 MERCJET	MERCRUISER	120

### **PERFORMANCE**

90 MERCJET 30 M P H CRUISE 38-40 M P H TOP SPEED

1 20 MERCJET 35 M P H CRUISE 43-45 M P H TOP SPEED 152 MEDALLION



### STANDARD FEATURES

5 Year Certificate for New Interior valued at \$1,500 • 1500 G.P.H. Automatic Bilge Pimp • Analog Gauges w/ Chrome Trim • Anchor Storage • Removable Bow Cushions • Convertible Canvas Top • Steel Swim Ladder • Jump Seats w/ Removable Cushions • Fiberglass Inner Liner w/ Molded In Leather Grain Finish • Padded Steering Wheel • Removable Modular Vinyl • AM/FM Stereo Cassette • Cockpit Carpet • Vision 2000 Windshield w/ Aluminum Frame • Ski-Tow Eye • 5 Year Hull Warranty

### **OPTIONAL FEATURES**

Depth Finder • Dual Battery Switch • Hour Meter • Fireboy Extinguisher "New" • Premium AM/FM Stereo Cassette • Trim Tabs • Cockpit Cover • Curtains Side and Aft • Transport Cover • Lift Kit • Wiper



L.O.A.	18'3"
BEAM	7'8"
DRAFT, DRIVE DOWN	30"
DRIVE UP	18"
FUEL CAP	30 GAL
HULL WT	3100 LBS
FREEBOARD	29"
MAXHP	185

### **ENGINE OPTIONS**

ENGINE	MAKE	HORSEPOWER
V6 4.3 LX	MERCRUISER	180

### PERFORMANCE

### 4.3 LX MERCRUISER

Gear Ratio 1.84:1

Propeller: 13 3/4 x 21 Stainless Steel

Load: Full Fuel, 4 Persons

RPM	<u>M.P.H.</u>
3000	29
3500	35
4000	39
4700	45 w/2 Persons 47

## 182 MEDALLION



### STANDARD FEATURES

5 Year Certificate for New Interior • 1500 G.P.H. Automatic Bilge Pump • Analog Gauges w/ Chrome Trim • Anchor Locker Storage • Removable Bow Cushions • Convertible Canvas Top • Stainless Steel Blower Vents • Hi-Tech Fiberglass Construction • Integrated Swim Platform w/ Ladder • Jump Seats w/ Removable Cushions • Molded Leather Grain Fiberglass Inner Liner • Motorbox w/ Built-In Pedestal Table and Removable Cushion • Removable Modular Vinyl Interior Panels • Recessed Pop-Up Cleats • AM/FM Stereo Cassette • Cockpit Carpet • Vision 2000 Windshield w/ Aluminum Windshield Frame • Ski Tow Eye • No Wood Construction • 5 Year Hull Warranty

### **OPTIONAL FEATURES**

Cockpit Cover • Curtains Side and Aft • Transport Cover • Bow Cover • Silent-Choice Exhaust • Thru-Hull Exhaust • Depth Finder • Dual Battery Switch • Hour Meter Fireboy Extinguisher "New" • Lift Kit • Premium AM/FM Stereo Cassette • Trim Tabs • Wiper



LOA	21'
BEAM	8'6"
DRAFT, ENGINE DOWN	32"
ENGINE UP	20"
FUEL CAP	55 GAL
WEIGHT	3200 LBS
FREEBOARD	33"
MAXHP	330

### **ENGINE OPTIONS**

ENGINE	MA	KE	HORSEPOWER
V8 5.0 LX	ME	RCRUISER	205
V8 5.7 L	ME	RCRUISER	235
350 MAG	ME	RCRUISER	250
V8 7.4 L	ME	RCRUISER	300
V8 5.0 FL	VO	LVO	190
V8 5.8 FL	VO	LVO	230
V8 5.8 FI	VO	LVO	255
V8 7.4 GL	DP VO	LVO	300

### **PERFORMANCE**


### 5.0 LX MERCRUISER

RPM	M.P.H.
3000	25
3500	32.5
4000	37.6
4600	45

### 5.7 L MERCRUISER

RPM	M.P.H.
3000	32.3
3500	38.5
4000	42.6
4600	47

# 212 MEDALLION



### STANDARD FEATURES

5 Year Certificate for New Interior • 1500 G.P.H. Automatic Bilge Pump • Analog Gauges w/ Chrome Trim • Anchor Locker Storage • Removable Captains Chairs • Convertible Canvas Top • Galley w/ Sink, Stove and Icebox • Hi-Tech Fiberglass Construction • Integrated Swim Platform w/ Ladder • Molded Leather Grain Fiberglass Inner Liner • Padded Steering Wheel

- Removable Modular Vinyl Panels Recessed Pop-Up Cleats
   Stainless Stand Planter Vents AMEM Stares Consetts
- Stainless Steel Blower Vents AM/FM Stereo Cassette •
   Cockpit Carpet Vision 2000 Windshield w/ Aluminum Frame
- Stainless Steel Ski Eye Porta Potty Deluxe Cabin Interior
- Butane Stove No Wood Construction 5 Year Hull Warranty

### **OPTIONAL FEATURES**

Cockpit Cover • Curtains Side and Aft • Camper Package • Transport Cover • Silent-Choice Exhaust • Thru-Hull Exhaust • Depth Finder • Dual Battery Switch • Battery Charger • Hour Meter • Fireboy Extinguisher "New" • Lift Kit • Pump Out Head • Premium AM/FM Stereo Cassette System • Trim Tabs • Wipers

### **OPTIONAL FEATURES**

Weekender Package - AC/DC Shore Power Battery Charger • Electric Fridge (DC only) • Dual Battery Switch • Shore Power Cord 20 ft.



LOA	21'
BEAM	8'6"
DRAFT, ENGINE DOWN	34"
ENGINE UP	22"
FUEL CAP	50 GAL
FREEBOARD	36"
MAXHP	300
FRESH WATER CAP.	7 GAL.

### **ENGINE OPTIONS**

ENGINE	<u>MAKE</u>	<u>HORSEPOWER</u>
V8 5.0 LX	MERCRUISER	205
V8 5.7 L	MERCRUISER	235
350 MAG	MERCRUISER	250
V8 7.4 L	MERCRUISER	300
V8 5.0 FL	VOLVO	190
V8 5.8 FL	VOLVO	230
V8 5.8 FI	VOLVO	255
V8 7.4 GLDP	VOLVO	300

### PERFORMANCE

### 350 MAG MERCRUISER

RPM	M.P.H.
3000	31.5
3500	37.5
4000	43.5
4600	50

210 MEDALLION

The 275 is the newest family member to the Medallion Series and consistent with the rest of the Medallions Donzi knows the best way to achieve marketing success is to offer more value for the dollar. Combining 90's technology with a lot of standard features the 275 Medallion delivers just that.

### STANDARD FEATURES

F.I.S.T. • Removable Modular Interior • Stove • Pop-Up Cleats • Integrated Swim Platform w/ Ladder • Porta Potty • Aft Cabin • Ice Box • Fresh Water • AM/FM Stereo Cassette • Convertible Top • Bow Storage • Anchor Rope Storage • Cabin Carpet • Cockpit Carpet • Stainless Bow Rail • Aluminum Windshield • Ventilating Port Lights • Non-Skid Walk Area • Horn • Navigation Lights • 19 Degree Deep V • 4 Person Sleep Capacity



LOA	29'3"
BEAM	8'6"
DRAFT, DOWN	3'5.5"
UP	1'9.5"
DEADRISE	19 DEGREES
FUEL CAP	103 GAL
WEIGHT	6500 LBS
MAXHP	T.B.D.
CABIN HEADROOM	6'3"
SLEEP CAP.	4



### CLASSICS

### 16 18 22 22 BLACKHAWK

If your heart begins to pound and your hands begin to sweat at the thought of racing offshore at high speeds, then the Donzi Classic speed boat line is for you. Start at 16' and a little over 50 mph and work your way up to a gut wrenching 22' boat at speeds of up to 80 mph. The Donzi Sweet 16, Classic 18 and Classic 22 are an original design by Don Aronow and are as sleek and stylish today as they were 3 decades ago when they were first introduced. For those of you who have to have the best, the limited edition Blackhawk 22 is sure to grab your eye.

A combination of 90's technology, classic design and a company committed to quality has made Donzi *America's Favorite Boat.* 

### 16 CLASSIC



### STANDARD FEATURES

Adjustable Drivers Seat • Automatic / Manual Bilge
Pump • Bilge Blower • Bow and Stern Lift Rings • Circuit
Breaker Electrical System • Snap in Cockpit Upholstery
• Deluxe Chrome Plated Cowl Vents • Deluxe Single
Lever Control • Foam Flotation • Fiberglass Cockpit
Liner • Ignition Safety Switch • Power Steering • Racing
Style Steering Wheel • Running Lights • Ski Storage •
Stainless Steel prop • Wrap around Cockpit Deck Rail •
5 Year Hull Warranty

### **OPTIONAL FEATURES**

Cockpit Cover • Transport Cover • Cockpit Carpet • Silent Choice Exhaust • Thru-Hull Exhaust • Depth Finder • Hour Meter • Fire Boy Extinuisher "New" • Hull Color • Shrink Wrap • AM/FM Stereo Cassette w/4 Speakers • Trim Tabs

### SELLING FEATURES

Classic Design • Race Proven 24 Degree Deep V • Striping in Gelcoat • Hand Laid Fiberglass • Stringers are Resin Saturated and Fully Encapsulated in Biaxle Fiberglass • Cored Decks and Liners • All Classics Custom Made Stainless or Brass Hardware



L O A
BEAM
DRAFT
DEADRISE
FUEL CAP
WEIGHT
MAX H P

16'8" 6'10" 26" 24 DEGREES 30 GAL 1,845 LBS 205

### **ENGINE OPTIONS**

ENGINE	MAKE	HORSEPOWER
V6 4.3 LX	MERCRUISER	180
V8 5.0 LX	MERCRUISER	205
V8 5.0 FL	VOLVO	190

### PERFORMANCE

V6 4.3 LX MERCRUISER

GEAR RATIO: 1.84:1


LOAD: 1/2 Fuel, 2 Persons

PROPELLER: 13 1/2 x 23

**RPM M.P.H.** 4600 53

16 CLASSIC

### 18 CLASSIC



### STANDARD FEATURES

Adjustable Bucket Seats • Auto / Manual Bilge Pump • Bow and Stern Lift Rings • Bilge Blower • Circuit Breaker Electrical System • Snap in Cockpit Upholstery • Deluxe Chrome Plated Cowl Vents • Deluxe Single Lever Control • Foam Flotation • Fiberglass Cockpit Liner • Ignition Safety Switch • Power Steering • Racing Style Steering Wheel

### **OPTIONAL EQUIPMENT**

Canvas Cockpit Cover • Transport Cover • Cockpit Carpet • Silent Choice Exhaust • Thru-Hull Exhaust • Depth Finder • Hour Meter • Fire Boy Extinguisher "New" • Hull Color • Shrink Wrap • AM/FM Sterwo Cassette • Trim Tabs • Windshield Aluminum Frame • Steering Wheel • Running Lights • Ski Storage • Stainless Steel Prop • 5 Year Hull Warranty



L O A 18'
BEAM 7'
DRAFT, 27"
DEADRISE 24 DEGREES
FUEL CAP 41 GAL
WEIGHT 2600 LBS
MAX H P 280

### **ENGINE OPTIONS**

V8 5.0 LX       MERCRUISER       205         V8 5.7 L       MERCRUISER       235         350 MAG       MERCRUISER       250         V8 5.8 L       VOLVO       230	

### **PERFORMANCE**

MERCRUISER 5.7 L - ALPHA

PROPELLER: 14 X 19 MIRAGE

LOAD: 1/2 FUEL, 2 PERSONS

WIDE OPEN THROTTLE:

55 M.P.H. @ 4600 R.P.M

CRUISNG SPEED:

35 M.P.H @ 3200 R.P.M.

MIN. PLANING SPEED:

30 M.P.H. @ 2300 R.P.M.

18 CLASSIC

### 22 CLASSIC



### STANDARD FEATURES

Adjustable Bucket Seats • Auto / Manual Bilge Pump • Bow and Stern Lift Rings • Bilge Blower • Circuit Breaker Electrical System • Snap in Cockpit Upholstery • Deluxe Chrome Plated Cowl Vents • Deluxe Single Lever Control • Foam Flotation • Fiberglass Cockpit Liner • Ignition Safety Switch • Power Steering • Racing Style Steering Wheel • Running Lights • Ski Storage • Stainless Steel Propeller • Trim Tabs • Aluminum Frame Windshield • Deluxe Dash Panel • 5 Year Hull Warranty

### **OPTIONAL FEATURES**

Canvas Cockpit Cover • Transport Cover • Cockpit Carpet • Silent Choice Exhaust • Thru-Hull Exhaust • Depth Finder • Hour Meter • Fire Boy Extinguisher "New" • Hull Color • Shrink Wrap • AM/FM Stereo Cassette w/ 4 Speakers



L O A 22'8"

BEAM 7'

DRAFT, 33"

DEADRISE 24 DEGREES

FUEL CAP 55 GAL

WEIGHT 3300 LBS

MAX H P 365

### **ENGINE OPTIONS**

ENGINE	MAKE	HORSEPOWER
V8 5.7 L	MERCRUISER	235
V8 350 MAG	MERCRUISER	250
V8 7.4 L	MERCRUISER	300
V8 454 MAG	MERCRUISER	350
V8 454 E.F.I.	MERCRUISER	300
V8 502 E.F.I.	MERCRUISER	415
V8 502 E.F.I.	BLACKHAWK	415
V8 5.8 F.L.	VOLVO	230
V8 5.8 F.I.	VOLVO	255
V8 7.4 G.L.D.P.	VOLVO	300

### PERFORMANCE

454 MAGNUM

PROPELLER: 14 3/4 X 21 MIRAGE

LOAD: 1/2 FUEL, 2 PERSONS

WIDE OPEN THROTTLE:

64 M.P.H. @ 5000 R.P.M

CRUISNG SPEED:

37.5 M.P.H @ 3200 R.P.M.

MIN. PLANING SPEED:

30 M.P.H. @ 2500 R.P.M.

22 CLASSIC

### 22 BLACKHAWK

### **Limited Edition**



We created the 22 Blackhawk Limited Edition from the original flagship of the Donzi Classic Speedboat line. The Hardware is Gold Plated. The Graphics are hand painted. And each owner will recieve a Limited Edition Blackhawk Custom Racing jacket. You'll turn heads as she races by at over 80 mph with the Blackhawk counter rotating dual - prop surface piercing drive. Destined to become a collectors dream, ONLY 40 OF THESE BEAUTIES WILL BE CREATED.

### STANDARD FEATURES

24K Gold Plated Hardware • Adjustable Bucket Seats •
Automatic / Manual Bilge Pump • Bow and Stern Lift Rings •
Bilge Blower • Blackhawk Boat Cover • Circuit Breaker
Electrical System • Cockpit Cover • Cockpit Carpet • Custom
Cockpit Upholstery • Deluxe Single Lever Control • Deluxe
Stereo • Electronic Fuel Injection • Foam Flotation • Fiberglass
Cockpit Liner • Halon Extinguisher System • Ignition Safety
Switch • Imeron Paint • K-Planes • Power Steering • Racing
Style Steering Wheel • Running Lights • Silent Choice
Exhaust • Shipping Cover • Ski Storage • Stainless Steel
Props • Deluxe Dash Panel • Analog Gauges w/ Gold Trim



L.O.A. BEAM DRAFT FUEL CAP HULL WT 22'8" 7'0" 35" 55 GAL 3300 LBS

### **ENGINE**

502 E.F.I. BLACKHAWK STERN DRIVE 415 HP PERFORMANCE

RPM	M.P.H.
4000	65
4500	70
4900	78
5050	80.5

22 BLACKHAWK



### ZX

### POWER PRESTIGE PERFORMANCE POTENTIAL APPEAL

These are just a few of the words you will hear when people are talking about the new ZX Series by Donzi. An innovative line of offshore performance cruisers designed to offer the customer a complete combination of luxury and performance features.

The 1st Edition to this family of boats is the 33 ZX, proving once again if you are not the lead dog, the view never changes.

### STANDARD FEATURES

2 Bolmar Deck Hatches • Wood Grain Dash • Built-in Cockpit Cooler • McCloud Adjustable Floor Rest • McCloud Adjustable Seat • Remote Entry • Cockpit Lights • Swim Ladder • Bow Storage • Dual Battery Switch • Cigarette Lighter • Compass • Enclosed Head w/ Shower • Cabin Carpet • Cockpit Carpet • Kiekaffer Controls • Anchor Storage • Shore Power • Horn • Refrigerator • AM/FM Stereo Cassette • Sun Deck • K-Planes • External Tie Bar • Sliding Plex Cabin Doors • Beverage Holders • Bow and Stern Eyes • K-Planes • Pop-Up Spring Line Cleats • Hydraulic Engine Hatch • Silent Choice • HR Meter

### **OPTIONS**

Wet Bar • Air Conditioning • Premium Stereo w/ CD • Custom Graphics • Hot Water Heater • Cockpit Cover • Gold Plating • Ice Maker • TV w/VCR • Latham Steering • Port Side Electric Foot Rest



32'8" L.O.A. BEAM 2'3" DRAFT, UP 3'5" DOWN 24 DEGREES DEADRISE 208 GAL **FUEL CAP** T.B.D. WEIGHT T.B.D. MAXHP 3' FREEBOARD HEADROOM CABIN

### FEATURES & BENEFITS

- Donzi uses a CAD system enabling the design team to initiate exact drawings with perfect accuracy.
- Fully integrated design/tooling/manufacturing means fresh, innovative ideas.
- Donzi uses just the right amount (app. 22 mils) of premium gelcoat with high gloss retention, for long lasting beautiful finishes.
- Donzi uses a 3 oz skin coat as a print barrier for smooth glasslike surfaces.
- · All Donzis are entirely hand laid for maximum strength and durability.
- Only high tech 3610 biaxial Fiberglass is used in the layup of Donzi boats for mazimum strength and superior fiberglass to resin ratio, resulting in strong, lightweight performance boats.
- All stringers and transoms are installed while the part is still in the mold for perfect alignment and fit. This will ensure true performance from the finished product.
- Donzi laminates backing material into every hull and deck built everywhere hardware will be installed. On Classics, Donzi uses marine grade plywood backing, on Medallions only Divinycell foam is used. This adds backing support to all thru-bolted hardware and prevents screws from loosening by giving them something to bite into. Unlike the competition, these screws will still be tight a year later.
- Donzi fuel tanks are manufactured using only the highest quality anodized aluminum. Donzi fuel tanks are tested three times before they are allowed to leave the plant. This ensures years of trouble free service.
- Donzi uses only closed cell foam flotation to ensure no water absorption while maintaining level, upright flotation in boats under 20 feet and basic flotation in all models over 20 feet. The foam will also add rigidity to the hull and act as a sound deadener resulting in better, more pleasurable performance.
- All Donzis are fitted with fiberglass inner liners for rugged durability and easy maintenance.
- All Donzi innerliners use approximately 22 mils of premium Max Guard gelcoat for durable, long lasting finishes. No carpeting over wood floors and panels to rot in a Donzi.
- All innerliners and decks are laid up by hand using 3610 biaxial fiberglass for the strongest, lightest construction available.
- Donzi's hull and deck are joined together using polyester bonding putty and epoxy coated stainless fasteners. The seam is then filled with polyurethane sealant to prevent leakage and provide additional adhesion.
- All Donzi parts are allowed to completely cure in the molds to prevent any distortion. This takes time and costs money but excellence is expected from Donzi.
- All hardware on Donzi boats is chrome over brass or the highest quality stainless steel for strength and long lasting lustre.
- All screws and thru-bolts are pre-drilled and filled with marine silicone to ensure a proper seal and to prevent the fasteners from loosening.
- All Donzi wiring is color-coded, heavy gauge wiring that meets or exceeds NMMA requirements.
- All wiring is neatly routed and wrapped in loom to prevent chafing. All wiring connections are sealed with heat shrink tubing to permanently pro-



tect the connections from the elements. Donzi always takes extra steps to ensure years of trouble free service.

- Donzi engines are thru-bolted through the stringers for rigid mounting ensuring optimum performance and longevity.
- Unlike other corporately owned boat companies, with Donzi you can choose your engine brand.
- All engines are run and all systems are checked before a Donzi is shipped to a dealer. Any adjustments are made prior to the boat leaving the plant ensuring proper operation when the boat reaches its destination.
- Donzi upholstery and canvas is done in-house to ensure control over quality and cost, guaranteeing the consumer the highest quality product at the best possible price.
- Donzi cockpit upholstery is a hefty 32 oz. U.V. protected vinyl and all canvas is Sunbrella fabric ensuring years of good looks and use.
- Relentless product and component testing are how Donzi determines the most reliable designs and assemblies to ensure a pleasant boating experience.

### MEDALLION -

- Donzi Medallions use no wood in their construction. All stringers and transoms are constructed using high density Divinycell foam. Divinycell foam is used for maximum strength and performance at a significant weight savings.
- All cabin boats also have a full liner.
- Donzi Medallion decks and liners are cored with Divinycell foam coring for additional strength and rigidity without additional weight, while still remaining totally free of wood.
- Donzi Medallions feature low maintenance, wood free interior components which are easily removable for cleaning and storage.
- Donzi Medallion engine component is a finished fiberglass liner.

### CLASSIC -

- Donzi Classic striping is done only in gelcoat, not tape for years of long lasting good looks.
- On Donzi Classic, wood stringer systems and transoms are marine grade plywood and are approved by the National Marine Manufacturers Association (NMMA). Donzi goes two steps further. First the wood is resin saturated. After the installation of the stringers and transom, biaxial fiberglass is applied to totally encapsulate the entire system. The benefits of this elaborate process are twofold; it seals the wood and protects it from the elements forever, it also adds structural integrity to the entire structure.
- Donzi Classic decks and liners are cored with Baltek AL600 balsa coring for additional strength and rigidity without ading a significant amount of
  weight. Baltek AL600 is epoxy coated, end grain balsa, the highest quality,
  strongest and most durable balsa coring available.
- Donzi Classic engine compartments are very sanitary finished in gelcoat for long lasting good looks and easy clean-up.
- Todays Donzis feature race proven 24 degree deep vee hulls, combined with elegant styling, for the best performing, best looking boats on the water.

Joneh

DONZI 7110 21st Street East Sarasota, FL 34243