
## DONZI MARINE

DESIGNER AND BUILDER OF THE WORLD'S FINEST HIGH PERFORMANCE POWER BOATS

# Presents The FIVE TOP BOATS For 1966



## The DONZI 16

SOFTEST RIDING, DRIEST HIGH SPEED SPORTS-SKI BOAT EVER BUILT The straked racing hull and unique interior arrangement of this fiery little beauty make her peerless as a sports runabout and ski boat. Five adults can be seated comfortably; she has incredible maneuverability, complete visibility at all speeds, full stability and less slip in turns than any other boat in her class. The multi-laminate, high impact fiberglass hull and luxurious interior are crafted and finished like the finest sport car; all hardware and components are the best made.

### **SPECIFICATIONS**


Length Overall	16'7½"
Beam	
Draft to Keel	1'0"
Freeboard at Bow Amidship At Transom	1′9″
Height, Top of Wheel to Keel Top of Deck to Keel	3'6"
Gross Weight	
Fuel Capacity	25 Gal.
Speed (Standard 110 Volvo) (165 Interceptor)	
Cruising Range at 4000 RPM Cruising Time at 4000 RPH .	
Power	Aquamatic Outdrive
Steering	Custom Mechanical
Controls	Shift Combination
Hardware	or Ctainlace Stool

### STANDARD EQUIPMENT

Steering Po	O HP Volvo Penta Inboard/Outboard with Volvo-Penta 200 Aquamatic tdrive, electric lift, underwater exhaust, Alternator sitive, mechanical, with custom adaptor
Electric System 12 Instruments Vo Controls Cu Battery 12	V, color coded Ivo instruments on molded fiberglass panel Istom Walnut knob on single lever shift throttle combination V, 65 amp-hour w/shut off switch
Fuel System 25	ated steel, racing strength Gallon, custom tank, direct reading gauge filter, shut off, chrome on ass filler and vent
Blower	
Bilge Pump	V, Automatic and manual submersible ternational, stainless steel, recessed stern light
Engine Hatch Re	sinforced, cored fiberglass, flush lock, removable, extra large, stom hinges
Storage	nder cockpit, with hatch justable louvered intake, custom exhaust outlet
Rub Rails Hi	gh impact molded fiberglass, integral, custom flush trim
Fire Extinguisher 21/2	Ivo Engine Kit
Operation Manual En Ski Storage Rack Fib	gine Manual, wiring diagram, care and maintenance perglass. Built in
Bucket Seat36	0 degree radius, fore and aft adjustment, foam filled, custom stom, water proof, foam, zippered, removable
Tonneau Cover Ny	rion zippered, with stripe and removable folding bow choices of upholstery and striping, all hulls Wonder White
Propeller3 b	blade aluminum speed wheel fting ring with custom brackets, drain plug, vents, towing eye, see-
thr	ru fuel gauge cover
Steering Wheel Cu Oil & Lubricant Vo	stom heavy duty, fast curve, deep dish racing wheel Ivo Special lubes

Prices, Specifications and Standard Equipment subject to change without notice.





## The DONZI 18

2+3

MOST SOPHISTICATED SPEED-SPORT-SKI BOAT ON THE MARKET TODAY

#### **SPECIFICATIONS**

Length Overall
Beam7'0"
Draft to Keel
Freeboard at Bow         1'8"           Amidship         1'9"           At Transom         1'8"
Height, Top of Wheel to Keel 3'8" Top of Deck to Keel 3'3"
Gross Weight
Fuel Capacity
Speed (Standard 200 Interceptor) approx. 50 mph.
Cruising Range at 4000 RPM 135 Mi. App. Cruising Time at 4000 RPM 4 Hrs. App.
Steering Custom Mechanical Teleflex
Controls Custom Throttle and Shift Combination
Hardware Chrome on Brass or Stainless Steel


Another Donzi original, the Two-Plus-Three has a clever seating arrangement: two large adjustable bucket seats, plus an upholstered bench seat for three. She also has her share of the Donzi family's graceful lines and fiery temperament — and, of course, a full measure of superb Donzi craftsmanship, stem to stern. This modern classic is very fast, very stable, and very beautiful...and as rugged as the ocean racers that sired her.

## STANDARD EQUIPMENT

Steering Electric System Instruments Controls Battery Battery Bracket Fuel System	Custom instruments on molded fiberglass pane Custom walnut knob on single lever shift-throttle combination 12 V, 65 amp-hour, with shut off switch Coated steel, racing strength 25-gallon custom tank, direct reading gauge, filter, shut off, chrome on brass filler and vent
Blower Bilge Pump Running Lights Engine Hatches Fire Extinguisher Operation Manual Ski Storage Rack Bucket Seats Upholstery Tonneau Cover	Oil, water, air and fuel filters all standard 12 V, electric 12 V, automatic and manual, submersible International, stainless steel, recessed stern light Reinforced, cored fiberglass, integral, custom flush trim 2½ lb. dry chemical Engine manual, wiring diagram, care and maintenance Fiberglass, built in 360 degree radius, fore and aft adjustment, foam filled, custom Custom, waterproof, foam, zippered, removable Nylon, zippered, with stripe and removable folding bow
Propeller	Aluminum speed wheel Lifting ring with custom brackets, drain plug, 4 vents, towing eye, see-thru fuel gauge cover Custom heavy duty, fast curve, deep dish racing wheel



DESIGN • RESEARCH ENGINEERING • TESTING • RACING • CONSTRUCTION OF HIGH PERFORMANCE BOATS



## The DONZI 19 ST. TROPEZ

INCOMPARABLE HIGH PERFORMANCE, CUSTOM-FINISHED SPORT-FISHING-DAY BOAT

The Donzi St. Tropez incorporates (as do all Donzis) the vast technical advances stemming from winning competition in the world's roughest ocean races. It also incorporates the layout of the venerable Maine fisherman, designed, refined and crafted as only Donzi can do it. The arrangement provides comfortable seating for six adults besides the helmsman; there are 3 built-in fiberglass fish boxes which can serve equally well as bait or beverage boxes. A "Conestoga" top protects the forward cockpit when desired; has large plexiglass forward window. (optional)

### SPECIFICATIONS

Length Overall		
Groce Weight	ADDIOX. 2000 IDS.	
Fuel Capacity	Approx. 40 Gal.	
Speed		
110 Valva	Approx. 34 mph.	
165 Intercentor	ADDIOX, 44 IIIVII.	
200 Intercentor	Approx. 48 mph.	
110 Volvo	Approx. 200 mi.	
165 Intercentor	ADDIOX, 130 IIII.	
200 Interceptor	Approx. 140 mi.	
Cruising Time at 4000 RPM		
110 Volvo	Approx. 9 hrs.	
165 Intercentor	ADDIOX, O IIIS.	
200 Intercentor	ADDIOX, 3/2 III3.	
Stooring	alistom Wechanica	
Controls	ustom imottle and	
Hardware	Chrome on Brass or	
	Stainless Steel	
Upholstery Nauga	red or blue	
	red of blue	
Finish Mirror-sme	ermanent high gloss	
gel. De	ermanent mgn gioss	

#### STANDARD EQUIPMENT

Power
Steering Positive, mechanical, with custom adaptor
Electric System 12 V, color coded
Instruments Full instrumentation on molded fiberglass
ControlsSingle lever shift/throttle combination
Battery
Battery BracketCoated steel, racing strength
Fuel System40 Gallon, custom tank, direct reading gauge, filter, shut off, chrome on brass filler and vent
Engine Filters Oil, water, air and fuel filters all std.
Blower12 V, Electric
Bilge Pump12 V, Automatic and manual submersible
Running LightsInternational, stainless steel, recessed stern light Engine BoxReinforced, cored fiberglass, sound-deadened, removable, extra large,
custom hinges, cushioned
StorageUnder foredeck, with hatch
Engine Ventilation Adjustable louvered intake, custom exhaust outlet
Rub Rails High impact molded fiberglass, integral, custom flush trim
Fire Extinguisher 2½ lb. dry chemical
Operation Manual Engine Manual, wiring diagram, care and maintenance Fish Boxes 3, fiberglass, built in
Cushions
Propeller 3-blade aluminum power wheel
Hardware Lifting rings with custom brackets, drain plug, vents, towing eye, see-thru
fuel gauge cover
Steering Wheel Custom heavy duty
Oil Lubricant Special lubes

## THE DONZI 19 HORNET 7-LITRE



MAGNIFICENT HIGH PERFORMANCE, CUSTOM-FINISHED SPORT-SPEED-SKI BOAT

The Donzi Hornet is a refined version of the smashing Donzi 19' ocean racers which established an entire new concept of rough water stability in relatively small hulls. From the 19's have come revolutionary engineering advances which have been incorporated in all Donzis; in all boatdom they are second only to the Donzi 28's insofar as the generation of new hull, structural and control principles are concerned. With standard power (290 HP Chrysler) the Donzi Hornet 7-Litre will top 54 mph in rough water; available power options will turn up speeds in excess of 60 mph. Principal dimensions and specifications are similar to those of the Donzi 19 St. Tropez; details of this 4-passenger speedster will be furnished upon request.





## The DONZI 28

THE PURE RACING MACHINE TURNED 4-SLEEPER CRUISER-SPORTSMAN

The Donzi 28 brought home more trophies in fewer months than any other boat ever built. Record after record crumbled as the power-packed ocean racer smashed home with such consistency that competitors labelled it and its smaller kin "those damned Donzis". The Cruiser-Sportsman hull is the same meticulously engineered, high-impact fiberglass configuration; the craftsmanship is the same; the Donzi custom features developed in the world's roughest testing ground are the same. Here is a magnificent machine for the few — those who demand only the best.

## **SPECIFICATIONS**

Length Overall	.28'0"
Beam	.10'6"
Draft to Keel (static)	. 1′5″
to rudder tips	. 2'6"
Height, windshield to keel	. 8'6"
windshield to water line	.6'11"
Headroom in cabin	. 6'1"
Gross weight, dry	.7700 lbs.
Fuel capacity	. 200 gals.
Water capacity	. 25 gals.
Speed	. 45.4 mph
Cruising range (with safety factor)	. 200 mi.
Power (twin Crusader Chevrolets)	. 500 hp
Colors	.custom

### STANDARD EQUIPMENT

Power	Twin 250 HP, V-8, 327 cubic inch Crusaders with hydraulic clutches, driving double universal intermediate shafts through water cooled 1:1.21 Crusader V-drives.
Underwater	
	Monel shafts, custom Donzi flush-mounted struts with built-in water pick-ups, cupped propellers, 2 large water filters.
Evhaust System	Risers, steam tubing, chrome on brass tips with flaps
	Teleflex mechanical steering, driving differentiated Donzi custom chrome outboard rudders; custom brass racing wheel.
Instruments	Tachometer, ammeter, oil pressure, water temperature, direct-reading
	fuel gauges.
	Twin single-lever throttle and shifts
	12 V, fused and color-coded ship system and 110 V inlet for four 12/110 cabin lights.
Batteries	Two 65 amp, 12 V heavy duty marine
Fuel System	Two 100 gallon custom tanks, direct reading gauges, filters, shut-offs, crossover, chrome flush fillers
Running Lights	Conforming to latest international rules
	Two 2½ lb. dry chemical type
Rub Rails	Integral molded high-impact fiberglass, with extruded high finish trim
Engine Hatches	Flush, cored, reinforced fiberglass, removable
Blower	12 V electric
Bilge Pump	12 V submersible, automatic and manual
Horn	12 V electric
Interior	Two full double bunks, fabric and foam; dinette; galley with stove,
interior	sink, ice box and 25 gallon water tank; stand-up enclosed head with
	sink and mirror; carpeted; topsides emergency hatch; storage under
	bunks; 6'-plus headroom; 4 12V-110V lamps.
	108 square feet, flush, non-skid; double sliding helmsman and companion seats
Deck Hardware	Chocks and cleats chrome on brass
Seacocks	On all through-bottom fittings
Accessories	Nylon docklines, anchor, anchor line, life preservers, bow rail, boat
	hook, 6 bronze portlights
	nook, o biolizo portifgito

DONZI MARINE

2940 N.E. 188TH ST., NORTH MIAMI BEACH 62, FLORIDA 305/945-7518



WASHINGTON - CHESAPEAKE BAY AREA DEALER

Arthur A. Burn

NAVAL ARCHITECT - MARINE ENGINEER 6531 HACKBERRY STREET SPRINGFIELD, VA. (703) 971-2333