



19

HORNET 7-LITRE

A red-hot sport-speed-ski boat, the Hornet is a refined version of the famous Donzi 19 ocean racers, which were hailed as "the most spectacular rough water boats ever built." Sleek as the finest sports cars and just as responsive, she will top 55 mph with standard power, and available power options will give her speeds in excess of 60 mph. Hull details, finish, cockpit, controls and underwater gear are Donzi Custom—the finest in the boating world. And her one-piece hull of laminated, high-impact fiberglass is tremendously strong and virtually maintenance-free.



The DONZI 19 ST. TROPEZ

INCOMPARABLE HIGH PERFORMANCE,
CUSTOM-FINISHED SPORT-FISHING-DAY BOAT

The Donzi St. Tropez incorporates (as do all Donzis) the vast technical advances stemming from winning competition in the world's roughest ocean races. It also incorporates the layout of the venerable Maine fisherman, designed, refined and crafted as only Donzi can do it. The arrangement provides comfortable seating for six adults besides the helmsman; there are 3 built-in fiberglass fish boxes which can serve equally well as bait or beverage boxes. A "Conestoga" top protects the forward cockpit when desired; has large plexiglass forward window. (optional)

UAN 67

SPECIFICATIONS

Length Overall	19'2 1/2"
Including Outdrive	21'
Beam	7'10"
Draft to Keel	2'3"
To Bottom of outdrive	2'6"
Freeboard at Bow	2'4"
Aftship	2'0"
At Transom	4'0"
Height, Top of Wheel to Keel	4'0"
Gross Weight	Approx. 2500 lbs.
Fuel Capacity	Approx. 40 Gal.
Speed	
110 Volvo	Approx. 34 mph.
165 Interceptor	Approx. 44 mph.
200 Interceptor	Approx. 48 mph.
Cruising Range at 4000 RPM	
110 Volvo	Approx. 200 mi.
165 Interceptor	Approx. 150 mi.
200 Interceptor	Approx. 140 mi.
Cruising Time at 4000 RPM	
110 Volvo	Approx. 9 hrs.
165 Interceptor	Approx. 6 hrs.
200 Interceptor	Approx. 5 1/2 hrs.
Steering	Custom Mechanical
Controls	Custom Throttle and Shift Combination
Hardware	Chrome on Brass or Stainless Steel
Upholstery	Naugahyde or Equivalent, red or blue
Finish	Mirror-smooth, Wonder White gel, permanent high gloss

STANDARD EQUIPMENT

Power	110 HP Volvo-Penta Inboard/Outboard; 165 HP Interceptor Inboard/Outboard; 200 HP Interceptor Inboard/Outboard, fresh water cooled
Steering	Positive, mechanical, with custom adaptor
Electric System	12 V, color coded
Instruments	Full instrumentation on molded fiberglass
Controls	Single lever shift/throttle combination
Battery	12 V, 65 amp-hour w/shut off switch
Battery Bracket	Coated steel, racing strength
Fuel System	40 Gallon, custom tank, direct reading gauge, filter, shut off, chrome on brass filler and vent
Engine Filters	Oil, water, air and fuel filters all std.
Blower	12 V, Electric
Bilge Pump	12 V, Automatic and manual submersible
Running Lights	International, stainless steel, recessed stern light
Engine Box	Reinforced, cored fiberglass, sound-deadened, removable, extra large. Custom hinges, cushioned
Storage	Under foredeck, with hatch
Engine Ventilation	Adjustable louvered intake, custom exhaust outlet
Rub Rails	High impact molded fiberglass, integral, custom flush trim
Fire Extinguisher	2 1/2 lb. dry chemical
Operation Manual	Engine Manual, wiring diagram, care and maintenance
Fish Boxes	3, fiberglass, built in
Cushions	Custom, foam, zippered, removable, on engine box and console seat
Propeller	3-blade aluminum power wheel
Hardware	Lifting rings with custom brackets, drain plug, vents, towing eye, see-thru fuel gauge cover
Steering Wheel	Custom heavy duty
Oil Lubricant	Special lubes

THE DONZI 19 HORNET 7-LITRE

MAGNIFICENT HIGH PERFORMANCE,
CUSTOM-FINISHED SPORT-SPEED-SKI BOAT



The Donzi Hornet is a refined version of the smashing Donzi 19' ocean racers which established an entire new concept of rough water stability in relatively small hulls. From the 19's have come revolutionary engineering advances which have been incorporated in all Donzis; in all boatmod they are second only to the Donzi 28's insofar as the generation of new hull, structural and control principles are concerned. With standard power (290 HP Chrysler) the Donzi Hornet 7-Litre will top 54 mph in rough water; available power options will turn up speeds in excess of 60 mph. Principal dimensions and specifications are similar to those of the Donzi 19 St. Tropez; details of this 4-passenger speedster will be furnished upon request.



DESIGN • RESEARCH ENGINEERING • TESTING • RACING • CONSTRUCTION OF HIGH PERFORMANCE BOATS

presents the
TURBO-CHARGED 60 m.p.h.*

DONZI 19 HORNET

- ☐ The only rough water stock runabout with stock warranted engine that guarantees 60 m.p.h.*
- ☐ Fastest, softest riding, driest sports boat built
- ☐ Hi-impact fiberglass construction
- ☐ Unparalleled high performance, custom finished sport-speed-ski boat



\$8,000 F.O.B. FACTORY

STANDARD EQUIPMENT

POWER . . . 32-hp Daytona Turbo Charged (fully warranted pressure engine) driving silent V-drive

STEERING . . . Constant tension (custom for Hornet) turning Donzi chrome-on-nibral rodover, transom mounted; racing duty wheel

EXHAUST SYSTEM . . . Built-in riser, chrome megaphone

UNDERWATER GEAR . . . Custom Donzi strut with built-in water intake; Monel prop shaft; custom shaft log with built-in bearing; 3-blade cupped speed wheel

INSTRUMENTATION . . . direct-read gauges

INCLUDING:

- Fuel level
- Fuel pressure
- Ammeter
- Hour meter
- Oil pressure
- Oil temperature
- Speedometer
- Transfer tachometer
- Engine temperature
- Turbo boost gauge

WIRING . . . 12-volt, fused, color-coded

STORAGE . . . 2 fiberglass closed boxes, plus under-deck ski rack

LIGHT

- SPOTLIGHT . . . Hand-held, with jack
- VENTS . . . 5 stainless steel louvered intakes and exhausts

CONTROLS . . . Custom Donzi knob on single lever

BATTERY . . . 12-volt, heavy-duty

BATTERY BRACKET . . . Custom Donzi, steel and vinyl, racing strength

FUEL SYSTEM . . . 60-gallon non-corrosive aluminum foamed in place with 3" racing filter, bronze filter, shut-off electrical booster pump, aircraft fuel lines

HORN . . . 12-volt, electric dual Strombo, chrome

LIFTING RIGGS . . . Custom Donzi heavy duty, chrome on brass

UPHOLSTERY . . . Solid foam rubber and pleated Nautique zipper, removable

TUNNEAU COVER . . . Snap-on, with removable bow and

WINDSHIELD . . . Custom Donzi, tinted wrap-around heavy-duty plexiglass

SPECIFICATIONS

LENGTH OVERALL — Centerline	19'2½"
Gunwale	20'6½"
BEAM	7'10½"
DEPTH — Keel to windshield top	5½"
Keel to deck	41½"
FREEBOARD — Forward	2'6"
Aft	2'0"
DRAFT — To keel	1'0"
To rudder tip	2'3"
SEATING CAPACITY	3-4
FUEL CAPACITY	60 gal.
POWER (Daytona Turbo 300)	325 hp.
SPEED	over 60 mph.*
RANGE, MAXIMUM	150 mi.
COLORS	custom
STEERING, CONTROLS, HARDWARE	(See Standard Equipment)
GROSS WEIGHT	3000 lbs.

*GUARANTEED UPON DELIVERY AT PLANT

BLOWER . . . 12-volt, electric
BILGE PUMP . . . Automatic and manual, 12-volt
RUNNING LIGHTS . . . International
FILTERS . . . Oil, water, air and fuel; all standard
FIRE EXTINGUISHERS . . . Dry chemical, 2½ pound,
 chrome on brass
ENGINE HATCHES . . . Reinforced cored fiberglass, flush
 locks; extra-large, removable
RUB RAILS . . . High impact moulded fiberglass, integral,
 custom flush trim
OPENING MANUALS . . . Engine manual, wiring diagram,
 care and maintenance manuals
CHART LIGHT . . . Dash controlled, 12-volt
STRIPING . . . Silver racing stripes
OIL & SPECIAL LUBRICANTS

BEHIND THE DONZI

This magnificent high performance boat and its rugged little sister, the sleek Donzi 16, were designed by a team composed of Don Aronow, Dave Stirrat, Jim Wynne and Waltman W. Walters — internationally known marine consultants, designers, ocean racers and builders, and the same team that designed, raced and owned the Formula 233, Formula 275 and Formula Jr.

In early tests of the stock Donzi 19 Hornet, speeds topped 70 m.p.h., which is one of the reasons Donzi Marine Corp. can guarantee 60 m.p.h.* This fiery performing sports boat can really move. The prototype of the Donzi 19 Hornet has already won 2 awards in its first ocean race. This "most spectacular rough water boat ever built", has been acclaimed a "modern classic"—the "Duesenberg of its class". Every Donzi 19 Hornet is rough-water ocean tested and speed certified before delivery.

*Standard equipment, specifications
and prices subject to change
without notice.*



For further information, dealer and brochure, write to

DONZI MARINE

2940 N. E. 188th St., NORTH MIAMI BEACH 62, FLORIDA
Phone 305 / 945-7518

DESIGN · RESEARCH ENGINEERING · TESTING · RACING · CONSTRUCTION OF HI-PERFORMANCE POWER BOATS

THE DONZI
19
ST. TROPEZ

SPECIFICATIONS

Length overall	19' 2½"
Beam	7' 10"
Draft to keel	1' 0"
Draft to skeg	2' 3"
Height, top of wheel to keel	4' 8"
Gross weight, dry	2600 lbs.
Fuel capacity	40 gals.
Speed (120 hp MerCruiser)	35+ mph
(200 Interceptor)	50+ mph
Cruising range (120 hp)	150+ mis.
(200 hp)	140+ mis.

STANDARD EQUIPMENT

POWER: 120 hp MerCruiser Inboard/Outboard.

STEERING: Teleflex mechanical.

INSTRUMENTS: Tachometer, ammeter, oil pressure, water temperature, fuel gauges.

CONTROLS: Single lever shift-throttle.

WIRING: 12-volt fused and color-coded.

BATTERY: 12-volt 65-amp-hour heavy duty.

FUEL SYSTEM: 40 gallon custom tank, direct reading gauge, shut-off, chrome on brass filler.

RUNNING LIGHTS: To latest international rules.

FIRE EXTINGUISHER: 2½ lb., dry chemical.

BLOWER: 12-volt electric.

BILGE PUMP: 12-volt submersible, automatic and manual controls.

HARDWARE: Lifting rings, vents, towing eye, drain plug, see-through fuel gauge cover.

THE DONZI
19
HORNET 7-LITRE

SPECIFICATIONS

Length overall	19' 2½"
Beam	7' 10½"
Height—windshield top to keel	5' 2½"
Draft—to keel	1' 0"
to rudder tip	2' 3"
Fuel capacity	60 gal.
Power	320 hp
Speed	55+ mph
Range	150 mis.
Colors	custom
Gross weight	3000 lbs.

STANDARD EQUIPMENT

POWER: 320 hp Crusader driving silent V-drive.

STEERING: Teleflex constant tension with chrome-on-nibral rudder, transom mounted.

EXHAUST SYSTEM: Built-in riser, chrome megaphone tips, safety flaps.

UNDERWATER GEAR: Custom Donzi strut with built-in water intake; Monel prop shaft; custom shaft log with built-in bearing; 3-blade cupped speed wheel.

INSTRUMENTATION: Direct-reading fuel gauge, fuel pressure, ammeter, hour meter, oil pressure, oil temperature, speedometer, transistor tachometer, engine temperature.

WIRING: 12 volt, fused, color-coded.

STORAGE: 2 fiberglass closed boxes, plus under-deck ski rack.

CONTROLS: Custom Donzi knob on single lever.

BATTERY: 12 volt, 65 amp-hour, heavy-duty.

FUEL SYSTEM: 60-gallon non-corrosive aluminum foamed in place, bronze filler, shut-off, electrical booster pump, aircraft fuel lines.

HORN: 12-volt, electrical dual.

UPHOLSTERY: Solid foam rubber and pleated Naugahyde; zippered, removable.

TONNEAU COVER: Snap-on, zippered, with removable bow.

WINDSHIELD: Custom Donzi, tinted wrap-around heavy-duty plexiglass.

BLOWER: 12 volt, electric.

BILGE PUMP: Automatic and manual, 12 volt.

RUNNING LIGHTS: To latest international rules.

FIRE EXTINGUISHERS: Dry chemical, 2½ lb., chrome on brass.

THE DONZI
18
2+3

SPECIFICATIONS

Length overall	18' 0"
Beam	7' 0"
Draft to keel	1' 0"
to bottom of outdrive	2' 3"
Height, top of wheel to keel	3' 8"
Gross weight	1650 lbs.
Fuel capacity	25 gals.
Speed (standard 200 Interceptor)	50 mph.
Cruising range	135 mis.

STANDARD EQUIPMENT

POWER: 200 HP Interceptor Inboard/Outboard.

STEERING: Positive Teleflex mechanical, with custom adaptor.

ELECTRIC SYSTEM: 12-volt, color coded, fused.

INSTRUMENTS: Custom instruments on molded fiberglass panel.

CONTROLS: Single lever shift-throttle combination.

BATTERY: 12-volt, 65 amp-hour, with shut-off switch.

FUEL SYSTEM: 25-gallon custom tank, direct reading gauge, shut off, chrome on brass filler and vent.

BLOWER: 12-volt, electric.

BILGE PUMP: 12-volt, automatic and manual, submersible.

RUNNING LIGHTS: To latest international rules.

FIRE EXTINGUISHER: 2½ lb., dry chemical.

SKI STORAGE RACK: Fiberglass, built in.

BUCKET SEATS: 360 degree radius, fore and aft adjustment, foam filled, custom.

TONNEAU COVER: Nylon, zippered.

HARDWARE: Lifting ring with custom brackets, drain plug, 4 vents, towing eye, see-thru fuel gauge cover.

Seven Meter 23' - Get there fast and comfortably, over 40 mph in rough water. Power twin 200 hp Holman and Moody. Speed 45 plus. A family sports craft that will startle you with its magnificent performance and ride.

A triple header - cruising, fishing or skiing - performs with ease in any capacity. Finished in the superb Donzi manner. Donzi Marine/2940 Northeast 188 St./North Miami Beach, Fla. 33160/Cable Address: Damdonzi

Donzi Seven Meter 23



Donzi Hornet 19



Donzi Corsican 18





Donzi 21 GT

The Donzi 21 GT is 21 feet of pure pleasure wrapped in the race-winning Donzi Deep V hull. No detail has been overlooked to make this one of the greatest Donzis produced. Styled and finished in the Gran Turismo tradition—to travel rapidly in comfort. For comfort—Deep padded rear lounge seats, three. Adjustable bucket seats rival club chairs. Padded arm rest

rims the cockpit. Rolled dash sweeps down from the sport windshield—designed to pitch the airstream up and away. Instrumentation, racing type, set in a sports console. Deep dish racing wheel. The final touch...all weather carpeting. The clean, simple, classical lines of the Donzi 21 are ageless. Power: 235 HP Holman Moody inboard/outboard.



Donzi Hornet 19



Donzi 18-2+3

Donzi Ski Sporter 16



Donzi Seven Meter 23



Donzi Seven Meter 23



Donzi Corsican 18

R. D. McAllister & Son Ltd
EAST BAY FRONT
ERIE, PA. 16507

DONZI PRICE LIST
1971

	Outboard 16'	Ski Sporter 16'	18 2+3 18'	Corsican 18'	Hornet 19'	St. Tropez 19'	G.T. 21'	Seven Meter 23'
POWER OPTIONS								
	2495
235 HP Crusader	6900	7500	8000	8700	8700	9700
235 HP Holman & Moody	6900	7500	8000	8700	8700	9700
260 HP Crusader	7500	8100	8600	9300	9300	10300	11685
260 HP Holman & Moody	7500	8100	8600	9300	9300	10300	11685
235 HP (twin)	13700
260 HP (twin)	14900
ACCESSORIES								
Bow Rail	180	210
Carpet (all weather)	40	40	50	50	60	Std.	125
Cleats (8" pair)	Std.	30	30	30	30	30	30	30
Companion Seat	175
Compass (5")	285	285	285	285
Console Cover	50
Cushions (bunk)	160
Engine Hour Meter	60	60	60	60	60	60	60
Electric Horn	60	60	60	Std.	60	Std.	60
Head (manual)	190
Navy Top Set	300
Outriggers	125	125
Rod Holders (pair)	40	40
Shipping Cover	100	100	100	100	180	180	180	200
Shipping Cradle	120	120	120	120	140	140	160	180
Speedometer	40	40	40	40	40	40	40	40
Teak Trim (cockpit)	225
Tonneau Cover	80	Std.	Std.	Std.	Std.	Std.
Trailer	600	600	600	600	800	800	1200	1600
Trim Tabs	320	320	320	320	320	320	320	320
Two Tone Bottom	100	100	100	100	100	100	125

Prices are effective October 1, 1970 and are subject to change without notice

DONZI PRICE LIST
1969

Donzi 19' Hornet

Note: The following equipment is standard on the Donzi 19' Hornet:

Bilge Pump (Manual and Automatic Switch)
Bilge Blower
Fire Extinguisher
Horn
Windshield
Speedometer
4 Fender Cleats
2 Life Jackets
2 3/8" X 25 ft. Dock Lines
Paddle

Power Options

With

235 HP Holman and Moody	8155
300 HP Holman and Moody (V Drive)	10645
400 HP Holman and Moody (V Drive)	11225
500 HP Holman and Moody (V Drive)	11485

Accessories

Boat Leveler Trim Tabs	320
Boot Stripe	50
Engine Hour Meter	50
Shipping Cover	145
Shipping Cradle	140
Trailer	725
Two Tone Bottom	100

Prices are effective November 1, 1968 and are
subject to change without notice.