

DONZI 20 HORNET II

DONZI 20 HORNET II



STANDARD EQUIPMENT • **Steering:** Teletex mechanical • **Electrical System:** 12 volt, color coded • **Instruments:** Tachometer, speedometer, ammeter, oil pressure, water temperature, electric fuel gauge • **Controls:** Single lever throttle and shift combination • **Battery:** 12 volt, 80 ampere-hour marine • **Fuel System:** 42 gallon aluminum, fully grounded, shutoff, electric gauge, chrome on brass filler and vent

• **Blowers:** 12 volt electric • **Bilge Pump:** 12 volt, automatic and manual, submersible • **Running Lights:** To latest inland rules • **Fire Extinguisher:** 2½ lb. dry chemical • **Storage:** Built-in ski rack, under front bench seat • **Tonneau Cover:** Naugahyde, zippered • **Hardware:** Custom engine hatch latches, lifting rings with custom brackets, drain plug, fender cleats, towing eye, vents, stern rail with teak ladder down

transom • **Trim:** Racing and boot stripes, Windshield life jackets, dock lines, portable horn, paddle, Donzi Racing Team bag, ski mirror

SPECIFICATIONS: Length Overall 20'3" • Beam 7'10" • Draft to Keel 1'9", to bottom of outdrive 2'3" • Height, top of windshield to keel 4'11" • Gross Weight 3000 lbs. • Fuel Capacity 42 gals. • Seating Capacity 6



DONZI 20 HORNET II

DONZI 20 HORNET II



DONZI ingenuity, engineering, styling, and craftsmanship have once again merged to bring to the discerning sportsman the ultimate in a high-performance inboard/outboard — the DONZI HORNET II. Its large, comfortable seating plan has been tastefully disguised by its long, sleek, streamlined styling. Complete maneuverability and total stability in all water conditions make it the true dream of every sportsman. Power options are provided, as well as a choice of seating colors in exceptionally beautiful hues and designs that enable you to create your own personal touch in this, the apex of boating pleasure. The HORNET II is a great inspiration designed for the true sportsman.



STANDARD EQUIPMENT — Steering: Teleflex mechanical • Electrical System: 12 volt, color coded • Instruments: Tachometer, speedometer, ammeter, oil pressure, water temperature, electric fuel gauge • Controls: Single lever throttle and shift combination • Battery: 12 volt, 60 ampere-hour marine • Fuel System: 42 gallon aluminum, fully grounded, shutoff, electric gauge, chrome on brass filter and vent

• Blower: 12 volt electric • Bilge Pump: 12 volt, automatic and manual, submersible • Running Lights: To latest inland rules • Fire Extinguisher: 2½ lb. dry chemical • Storage: Built-in ski rack, under front bench seat • Tonneau Cover: Naugahyde, zippered • Hardware: Custom engine hatch latches, lifting rings with custom brackets, drain plug, tender cleats, towing eye, vents, stern rail with teak ladder down

transom • Trim: Racing and boat stripes, Windshield, life jackets, dock lines, portable horn, paddle, Donzi Racing Team bag, ski mirror.

SPECIFICATIONS: Length Overall 20'3" • Beam 7'10" • Draft to Keel 1'0", to bottom of outdrive 2'3" • Height, top of windshield to keel 4'11" • Gross Weight 3000 lbs. • Fuel Capacity 42 gals. • Seating Capacity 6

